

Omnipliance M200 11.0 Voluntary Product Accessibility Template (VPAT)

The following Voluntary Product Accessibility information refers to the Savvius Omnipliance M200 Network Capture Appliance 11.0. To learn more about Omnipliance features and other Savvius products, visit <https://www.savvius.com>.

Summary Table

Criteria	Supporting Features	Remarks and Explanations
Section 1194.21 Software Applications and Operating Systems	Not applicable	See the VPAT for Omnippeek
Section 1194.22 Web-based Internet information and applications	Not applicable	
Section 1194.23 Telecommunications Products	Not applicable	
Section 1194.24 Video and Multi-media Products	Not applicable	
Section 1194.25 Self-Contained, Closed Products	Supports	Please refer to the VPAT table below
Section 1194.26 Desktop and Portable Computers	Not applicable	
Section 1194.31 Functional Performance Criteria	Supports	Please refer to the VPAT table below
Section 1194.41 Information, documentation, and support	Supports	Please refer to the VPAT table below

Self Contained, Closed Products (1194.25)

Criteria	Supporting Features	Remarks and Explanations
(a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.	Supports with exceptions	Users with computers can connect to the Omnipliance via Omnippeek software, console port, and SSH. For software administration, the Omnipliance can be managed through Omnippeek and the Capture Engine Manager for Omnippeek (included with Omnippeek).
(b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Not applicable	No instances of time responses.
(c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	Not applicable	No instances of touchscreens or contact-sensitive controls.
(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Not applicable	No instances of biometric forms of user identification or control.
(e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.	Not applicable	No instances of audio or listening features.
(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.	Not applicable	No instances of audio or listening features.
(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports	The Omnipliance uses led lights with blinking/flashing indicators.
(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.	Not applicable	No instances of color or contrast settings.
(i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Not applicable	

Criteria	Supporting Features	Remarks and Explanations
(j) (1) Products which are freestanding, nonportable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.	Supports	The Omnipliance is intended to be rack mounted. The dependency on meeting this requirement is the location in which the Omnipliance is placed in the rack.
(j) (2) Products which are freestanding, nonportable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.	Supports	The Omnipliance is intended to be rack mounted. The dependency on meeting this requirement is the location in which the Omnipliance is placed in the rack.
(j)(3) Products which are freestanding, nonportable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.	Supports	The Omnipliance is intended to be rack mounted. The dependency on meeting this requirement is the location in which the Omnipliance is placed in the rack.
(j)(4) Products which are freestanding, nonportable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.	Supports	The Omnipliance is intended to be rack mounted. The dependency on meeting this requirement is the location in which the Omnipliance is placed in the rack.

Functional Performance Criteria (1194.31, Subpart C)

Criteria	Supporting Features	Remarks and Explanations
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.	Supports with exceptions	<p>Depending on the device configuration, some physical ports on the Omnipliance may not be identifiable without vision.</p> <p>Savvius does not recommend a person without vision to connect this device to AC or DC power source as it might pose a safety risk.</p> <p>For software administration, the Omnipliance can be managed through Omnipeek and the Capture Engine Manager for Omnipeek (included with Omnipeek).</p>
(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people who are visually impaired shall be provided.	Supports with exceptions	<p>Depending on the device configuration, some physical ports on the Omnipliance may not be identifiable with low-vision.</p> <p>Savvius does not recommend a person with low vision to connect this device to AC or DC power source as it might pose a safety risk.</p> <p>For software administration, the Omnipliance can be managed through Omnipeek and the Capture Engine Manager for Omnipeek (included with Omnipeek).</p>
(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided.	Not applicable	No audio features.
(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.	Not applicable	No audio features.
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.	Not applicable	No audio features.
(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.	Supports with exceptions	<p>Individuals with fine motor control may find it difficult to insert cables into the ports of the Omnipliance.</p> <p>For software administration, the Omnipliance can be managed through Omnipeek and the Capture Engine Manager for Omnipeek (included with Omnipeek).</p>

Information, Documentation, and Support (1194.41, Subpart D)

(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge.	Supports	Savvius provides electronic versions of all product support documentation on MyPeek. See https://mypeek.savvius.com/ .
(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	Does not support	
(c) Support services for products shall accommodate the communication needs of end-users with disabilities.	Supports	Product support for Savvius products is available in a variety of formats and from a number of online sources. See https://www.savvius.com/support .